VS600HD



Brand: Synology

Product Code: VS600HD **Availability:** 12-18 Days

Weight: 0.36kg

Dimensions: 150.00mm x 150.00mm x

41.84mm

Price: 0.00EGP

Short Description VisualStation VS600HD

Description

Build a plug-and-play video wall



Optimized for video walls

Scale your TV wall with up to 50 video streams across two screens



Crystal-clear video feeds

Watch live camera feeds in up to 4K resolution



Plug-and-play surveillance

Experience instant access to Surveillance Station



US regulatory compliance

NDAA and TAA compliance help meet US federal requirements

Display your way

Simplify surveillance management with the VisualStation VS600HD, a PC-less compact surveillance client that pairs with Synology servers to create a comprehensive TV-wall monitoring solution.

High resolution dual display

Up to 4K video output and dual HDMI ports allow you to perform management tasks while monitoring multiple streams in crisp detail.



Minimalist design with TV mount option


The VS600HD can be affixed on the back of a monitor with the included VESA mount for optimized space utilization.

50-channel live view

Keep an eye on every corner of your premises with support for simultaneous monitoring of up to 50 channels at 600FPS/720p, as well as both H.265 and H.264 video compression standards.

Take security to the next level

Integrate the VS600HD as a powerful local management interface in a larger Synology surveillance deployment.




Centralized monitoring

Manage all your video feeds in one place and keep your property safe with the powerful features available in Surveillance Station


All-in-one security dashboard

Watch live video feeds, scrub through recorded footage, get alerts for security events and suspicious behavior, and control devices from one convenient overview.




Accurate security mapping

Import floor plans of your premises or wider-area maps, maintain a clear overview of camera locations and angles, and see at a glance where events are detected.




Deep learning analytics management

Combine the VS600HD with DVA Series Deep Learning NVRs and Synology Cameras, and leverage AI-powered analytics to boost incident response time



Easily control and update remotely

Configure the display on the VS600HD and keep the firmware up-to-date remotely from any location.



Hardware Overview





1Power Indicator

2Status Indicator

3LAN Indicator 4HDMI Ports **5LAN Port** 6USB 3.2 Gen 1 Ports 7Audio Out (3.5 mm) 8Audio In (3.5 mm) 9Power Button 10Reset Button 11Power Port **Specification**

NAS	
RJ-45 1GbE LAN Port	1
Power Supply Unit /	36 W
Adapter	
USB 3.0 Port	2
Operating Temperature	-20°C to 40°C (-4°F to 104°F)

Product Gallery

