DiskStation DS1823xs+



Brand: Synology

Product Code: DS1823xs+

Availability: 10 **Weight:** 6.20kg

Dimensions: 243.00mm x 343.00mm x

166.00mm

Price: 141,000.00EGP

Short Description

Synology 8 Bay DiskStation DS1823xs+

Description

Private data center on your desk

The DS1823xs+ is a powerful central storage server that can easily be deployed anywhere to provide shared data storage and sharing, endpoint and server backup, VM storage, surveillance management, and other business applications. It is perfect in settings where no dedicated server rack or data center is available.

Desktop-sized powerhouse

Over 3,100/2,600 MB/s seq. read/write, built-in 10GbE, and up to 160 TB raw storage before expansion.

Flexible configuration

Add up to 10 extra drive bays, 25GbE or Fibre Channel, and SSD cache volumes when needed.³

Versatile applications

Back up 300 endpoints, manage 75 IP cameras,	,4 or safely sync and share files between
devices and s	sites.

Safe, dependable, and scalable

Built-in data integrity protection, remote management options, and easy hardware expansion make the DS1823xs+ dependable, easy to maintain, and cost efficient.

Data integrity protection

The Btrfs file system helps prevent data corruption or loss through metadata mirroring, file self-healing, and efficient point-in-time snapshots. ECC memory provides additional

integrity safeguards.

Efficient remote management

Monitor, manage, and replace drives and storage online in Synology DSM. Remotely reboot, reset, or view logs while the system is down thanks to out-of-band management (OOB).

Plug-and-play expansion

The DS1823xs+ can be scaled to up to 18 bays by adding two DX517 expansion units without system downtime, thanks to online storage and volume expansion.



The performance you need


Configure the DS1823xs+ to handle any workload. Easily add 1/10/25GbE or Fibre Channel ports and designate NVMe or SATA SSD volumes as read/write cache to boost

HDD performance.

Simply faster

Experience faster⁶ file indexing in Synology Drive and higher sequential throughput.

Store, share, and protect
Manage all your documents, photos, and other files, back up applications and devices, and protect your physical assets with professional video surveillance.



Backup repository

Business application platform

Flexible file server

Use the DS1823xs+ as a central file repository and data sharing hub. Provide easy acce	SS
to business data from PCs, phones, and other devices, and set up powerful cross-site	
syncing to empower collaboration between offices or branches.	

Private cloud

A private cloud suite for file sharing

Empower your entire organization with a streamlined ability to access, share, and sync data from anywhere. Provide employees with access to corporate files through mobile apps, desktop clients, and a browser-based interface. Set granular file and folder access and sharing permissions. Maintain a full overview of file activities and track file share settings changes with detailed records in the Synology Drive Admin Console.

 $\label{lem:condition} \textbf{Dependable and secure network storage}$

Use shared folders on your Synology device as reliable storage available from anywhere on your local network over all common protocols (SMB/NFS/WebDAV/FTP). Protect your files against accidental changes and removal or even malware attacks with built-in		
snapshot technology and other backup options.		
Cross-site syncing		

Cross-site syncing

Secure site-to site file and folder syncing

Make sure branches always have up-to-date copies of crucial documents and data available locally by syncing Synology systems one or two-way using Synology Drive ShareSync. Have files updated across locations each time there is a change to efficiently keep all stakeholders on the same page.

Efficient cross-site syncing through the cloud

Boost syncing speeds, cut bandwidth use, and reduce your storage footprint by leveraging
the powerful connectivity of our data centers. Synology Hybrid Share intelligently
synchronizes data to Synology devices. ⁹ Large or less frequently accessed files are store
on the cloud to reduce local storage requirements, while frequently used files are stored
on local devices to provide users access at LAN speeds.


Backup repository

Back up files, folders, physical devices, VMs, and SaaS applications with free solutions, and protect your NAS with built-in technologies.

Back up all your devices

Centralize your backup and recovery solution

Consolidate and automate backup tasks for PCs, file servers, VMs, SaaS applications, and more with Active Backup Suite. Administer device backups remotely through a centralized portal and quickly restore specific files or entire devices to keep your business up and running. Take advantage of built-in remote backup solutions designed to protect your data with seamless 3-2-1 backup configurations.




Protect your Synology system

Perform full system backups with Synology

Protect all data, applications, and configurations on your Synology systems with comprehensive scheduled backups to local and remote servers, external drives, or cloud storage destinations including Synology C2 Storage.

Protect folders and LUNs with snapshots

Configure efficient point-in-time snapshots of shared folders and LUNs at intervals as short as 5 minutes. Allow users to easily restore previous versions of files unassisted, quickly recover VMs, and copy snapshots to another server to benefit from rapid storage failover.



Business application platform

Host cost-efficient business solutions, either through containers, virtual machines, or Synology DiskStation (DSM)'s own solutions, including a powerful free backup suite, a versatile mail server, and a surveillance VMS with transparent licensing.

Synology productivity solutions

Collaboration in a secure cloud
Create and edit documents, spreadsheets, and slides together with your whole team in real time. Easily migrate existing documents from other platforms and take ownership of your files in a secure private cloud.
Synology's private cloud mail solution provides ease of use, full data ownership, and robust data security with a low total cost of ownership thanks to its perpetual licensing model.

Keep teams connected through encrypted one-on-one private chats, public channels, and group conversations. Efficiently organize discussions with bookmarks, searchable hashtags, and chatbots.

~	• 4•	-	• 4 1•	4.
Containe	rızatıon	and	virtualiza	ition-ready

Application test environment

Run Docker containers and VMs on DS1823xs+ using Docker and Synology Virtual Machine Manager (VMM)¹⁰ — a hypervisor for virtualized versions of Windows®, Linux®, and DSM — to safely test and evaluate applications.

Virtual DSM serves as a test environment for package updates or to add an additional layer of security between applications, systems, and data.

Software

DSM Specifications

Storage Management

Maximum Single Volume Size

• 200 TB (32 GB memory required)

Maximum Internal Volume 256 Number M.2 SSD Storage Pool Support*

SSD Read/Write

Cache (Determining cache

size)

SSD TRIM RAID Group

Supported RAID Type

- RAID F1
- Basic
- JBOD
- RAID 0
- RAID 1
- RAID 5
- RAID 6
- RAID 10
- RAID Migration Basic to RAID 1
 - Basic to RAID 5
 - RAID 1 to RAID 5
 - RAID 5 to RAID 6

Volume Expansion with

Larger HDDs

• RAID F1

- RAID 1
- RAID 5
- RAID 6
- RAID 10

Volume Expansion by

Adding a HDD

• RAID F1

- JBOD
- RAID 5
- RAID 6

Global Hot Spare Supported

RAID Type

• RAID F1

- RAID 1
- RAID 5
- RAID 6
- RAID 10

Notes

 Creating M.2 storage pools requires the use of Synology-verified SSDs, which are rigorously tested under extreme

temperature conditions. Thermal parameters for SSDs and NAS units are fine-tuned to ensure optimal management of thermal conditions under I/O-intensive environments. (Learn more)

- Usable capacity for each volume will be lower than the maximum volume size and is dependent on the filesystem and the amount of system metadata stored.
- Volumes over 108 TB require 32 GB of memory or more.
- Btrfs
- ext4
- Btrfs
- ext4
- ext3
- FAT
- NTFS
- HFS+
- exFAT
- SMB
- AFP
- NFS
- FTP
- WebDAV
- Rsync

Maximum Concurrent 2,000

SMB/AFP/FTP Connections

Maximum Concurrent 8,000

SMB/AFP/FTP Connections

(with RAM expansion)
Windows Access Control

File System

Internal Drives

External Drives

File Services

File Protocol

List (ACL) Integration NFS Kerberos Authentication Notes

- Regarding data concerning tests with RAM expansion, all memory slots are installed with the maximum capacity of supported RAM.
- During testing, the maximum number of SSDs supported by this model is installed in a RAID 5 configuration.
- The testing standard was based on the maximum number of concurrent connections supported by this model. During the testing, 25% of the connections were used to transfer files concurrently. The transfer process guaranteed that the connections were not interrupted; the minimum transfer speed was not guaranteed.

		i
Account & Shared Folder	Maximum Local User	16,000
	Accounts	
	Maximum Local Groups	512
	Maximum Shared Folder	512
	Maximum Shared Folder	32
	Sync Tasks	
Hybrid Share	Maximum Hybrid Share	15
	Folders	
Hyper Backup	Folder and Package Backup	
-	Entire System Backup	

Full-system backup requires Notes

DSM 7.2 or later.

High Availability

Synology High Availability **Log Center**

Virtualization

Syslog Events per Second 3,000

VMware ESXi 6.5 and VAAI

Windows Server 2022

Citrix Ready **OpenStack**

General Specifications

Supported Protocols

SMB1 (CIFS), SMB2, SMB3, NFSv3, NFSv4, NFSv4.1, NFS Kerberized sessions, iSCSI, Fibre Channel, HTTP, HTTPs, FTP, SNMP, LDAP,

CalDAV

Supported Browsers

• Chrome

Firefox

• Edge

• Safari

Supported Language

English, Deutsch, Français, Italiano, Español, Dansk, Norsk, Svenska, Nederlands, ??????, Polski, Magyar, Português do Brasil,

Português Europeu, Türkçe, ?eský, ???????, ???, ???,

????, ????

For an updated list of Notes

> supported browser versions, check the **DSM** Technical

Specifications.

Add-on Packages view the complete package list

Central Management System

Synology Chat Suggested Users

Notes

400

 Measured with simulated users, each with an average record of 20,000 messages, emojis, or stickers. The required server response time is below ten seconds.

 Models with expandable memory are tested with their maximum supported memory.

Download Station	Maximum Concurrent	80
	Download Tasks	
SAN Manager	Maximum iSCSI Target	256
	Number	
	Maximum LUN	512
	LUN Clone/Snapshot,	
	Windows ODX	
Synology MailPlus /	Free Email Accounts	5 (Additional accounts
MailPlus Server		require purchase of licenses)
	Suggested Users	5,000
	Notes	 Suggested users is

- Suggested users is derived from testing in an environment with 20% heavy users (each with 20,000 prepopulated emails and receiving 240 emails per day) and 80% light users (each receiving an average of 20 emails per day). Learn more
- The performance of the mail system will slightly decrease in high-availability mode due to data synchronization between the two servers.
- Functions that were enabled in all of the tests above: antispam, anti-virus, DNSBL, greylist, content scan, full-text search (English only).

• Models with expandable memory are tested with their maximum supported memory. To estimate the RAM requirement for your NAS, please read this article

1,024

65,536

Media Server		
Synology Photos		

Snapshot Replication

Surveillance Station

DLNA Compliance **Facial Recognition Object Recognition**

Maximum Snapshots per

Shared Folder

Maximum of System

Snapshots

Default Licenses

Suggested Maximum IP Cameras and Total FPS (H.264)

Suggested Maximum IP Cameras and Total FPS (H.265)

Notes

2 (Additional cameras require purchase of licenses)

> • 1080p: 75 channels, 2100 FPS

• 3M: 75 channels, 1500 FPS

• 5M: 75 channels, 900 **FPS**

• 4K: 55 channels, 550 **FPS**

• 1080p: 75 channels, 2250 FPS

• 3M: 75 channels, 2250 FPS

• 5M: 75 channels, 1500 FPS

• 4K: 75 channels, 900 **FPS**

• Performance figures are obtained from testing conducted with the device fully populated with drives, with their default memory configuration, and

under a continuous recording setup.
Actual system capabilities may vary based on configuration, drive performance, enabled features, and the presence of additional workloads.

- Use <u>NVR Selector</u> to quickly find a suitable model based on your requirements.
- The number of streams that can be viewed simultaneously is **twice** the suggested maximum number of cameras. For example, if the suggested maximum number of cameras for a model is 10 under H.264, 1080p, the model can support up to 20 streams of the same specification at the same time.

Synology Drive

Recommended Number of Concurrent Sync Clients

maintained when the recommended number of hosted files was reached)

900 (the number of

connections that can be

Recommended Number of Hosted Files

50,000,000 (applies to files indexed or hosted

by <u>Synology Drive</u>. For file access through other standard protocols, refer to the File Services section above)

• Exceeding the

Notes

recommended numbers above will not block application operations, but may result in longer response time.

- Utilizing SSD cache can significantly improve performance.
- Models with expandable memory are tested with their maximum supported memory.
- Btrfs file system and non-encrypted shared folders were used during the aforementioned testing.

12,500

- Suggested users is derived from testing in an environment with 60% idle users (each logging in and viewing documents) and 40% active users (each executing random actions at intervals of 20 to 40 seconds) operating within documents, each document having 30 users. Learn more
- Models with expandable memory are tested with their maximum supported memory.
- Client performance may affect maximum

Suggested Users Notes

Synology Office

simultaneous editing users. Client PCs used for testing: Intel Core i3-3220 / 8GB RAM

<u>Virtual Machine Manager</u> Recommended Virtual 8 (<u>Learn more</u>)

Machine Instances

Recommended Virtual DSM 8 (including 1 Free License)

Number (Licenses required)

Notes The specifications vary

depending on system

configuration and memory

size.

<u>VPN Server</u> Maximum Connections 60

Specification

~ P · · · · · · · · · · · · · · · · · ·	
NAS	
CPU Model	AMD Ryzen V1780B
CPU Quantity	1
CPU Core	4
CPU Architecture	64-bit
CPU Frequency	3.35 (base) / 3.6 (turbo) GHz
Hardware Encryption	Yes
Engine	
Memory	8 GB DDR4 ECC SODIMM
Drive Bays	8
Hot Swappable Drive	Yes
RJ-45 1GbE LAN Port	2
USB 3.2 Gen 1 Port	3
System Fan	120 mm x 120 mm x 2 pcs
Power Supply Unit /	250 watts
Adapter	
Total Memory Slots	2
Maximum Memory	32 GB (16 GB x 2)
Capacity	
M.2 Drive Slots	2 (NVMe)
Expansion Port	2
PCIe Expansion	1 x Gen3 x8 slot (x4 link)

Product Gallery









