# RackStation RS822+

**Brand:** Synology

**Product Code:** RS822+

**Availability:** 10 **Weight:** 6.40kg

**Dimensions:** 492.60mm x 480.00mm x

44.00mm

**Price: 77,847.00EGP** 



#### **Short Description**

Synology 4 Bay RackStation RS822+

#### **Description**

## An all-in-one edge storage solution

The compact 1U 4-bay Synology RackStation RS822+ with its storage and connectivity expandability coupled with the powerful Synology DiskStation Manager (DSM) operating system is an ideal edge storage solution for branch offices and small and medium-sized businesses.



### **Performance**

2103/1074 MB/s sequential read/write throughput



# **Scalability**

Scale up to 8 drives with Synology Expansion Unit RX418



# Connectivity

Built-in 4 x 1GbE ports with 10/25 GbE expansion option



# Memory

Up to 32 GB DDR4 ECC

# **Built for reliability**

RS822+ comes with four Gigabit RJ-45 ports which can be bonded with Link Aggregation to enable automatic network failover and load balancing.

Two RS822+ units can be paired using Synology High Availability to form a reliable active/passive server cluster, maximizing service uptime.

# Room for expansion

Easily adjust the RS822+ to match your usage environment, whether it needs performance, faster networking, or higher storage capacity.

# All-in-one data management platform

The RS822+ is designed to support small deployments in tackling common applications such as file management, data backup, and surveillance.



# Edge storage for distributed teams



# Multi-endpoint data protection



Smart surveillance for small deployments

#### **Edge storage for distributed teams**

Provide secure and convenient	cross-platform	file access,	sharing, and	synchronization
	across multiple	locations.		

### **Enable effective collaboration with Synology Drive**

Synology Drive provides remote data access, synchronization, on-demand file restoration, and backup via handy desktop and mobile applications.

## **Multi-platform support**

Access personal and shared data from mobile app, desktop client, web browser, or another Synology system: Any changes you make are automatically synced to other devices as soon as they are connected.

#### Collaborate in real time

Integrate with Synology Office to enable concurrent editing on documents, spreadsheets, and slides, with support for conversion to and from Microsoft Word, Excel, PowerPoint, and OpenDocument files.

#### **Connect teams with Hybrid Share**

Utilize Hybrid Share to store large sets of data in the cloud, leveraging the powerful bandwidth of our data centers to stream requested files to local NAS deployed at the branch offices.

#### Data on-demand

With Hybrid Share-enabled folders, remote teams retain full access to the most up-todate files while benefiting from reduced local storage footprint and bandwidth usage.

## Cache data used locally

Frequently-accessed files are kept on the local NAS, allowing users to access them at LAN speeds. Files and folders can also be pinned manually to prevent them from being replaced when the cache is full.

Multi-endpoint data protection
Design an effective backup strategy to maximize system availability with a host of native and license-free solutions.
Endpoint, VM, and NAS/SAN protection
Securely back up Windows and Linux endpoints, Synology servers, and VMware® and

Hyper-V<sup>®</sup> virtual machines with Active Backup for Business.

#### Microsoft 365 and Google Workspace

Centralize backups of Microsoft 365 and Google Workspace data to protect it from accidents and simplify compliance with data retention policies. Schedulable backups, flexible file versioning, and block-level deduplication ensure flexibility and savings in terms of storage and bandwidth consumption.

### **Hyper Backup**

Back up files, LUNs, installed applications, and system configurations to destinations including Synology C2 Storage, public cloud platforms, USB devices, file servers, local folders, or other Synology systems.

Set and forget backup tasks with regular schedules, enhance security with granular user permissions and encryption, keep backup sizes small with built-in deduplication, and restore data flexibly with multi-versioning.

### **Snapshot Replication**

Snapshot Replication enables configurable point-in-time snapshots of shared folders and VM storage with an RPO as low as 5 minutes and recovery within seconds.

Smart surveillance for small deployments
Leverage flexible deployment options, intuitive management capabilities, and advanced video analytics to secure your premises.
Wide compatibility
Connect up to 40 IP cameras from a selection of over 8,300 validated models thanks to Synology Surveillance Station's wide camera compatibility.

# **Multi-platform convenience**

Monitor live streams or watch recordings from web browser, desktop client, or the DS cam mobile app.

## Secure and private

Footage is stored locally for easier compliance with data protection regulations and further protected from unauthorized access with industry-standard AES-256 encryption.

#### **Software**

Software Specs

DSM Specifications RS822+ Storage Management Maximum Single Volume 108 TB

Size

Maximum Internal Volume 64

Number

SSD Read/Write Cache
(Determining cache size)

SSD TRIM

Supported RAID Type • Synology Hybrid

**RAID** 

• Basic

• JBOD

		• RAID 0
		• RAID 1
		• RAID 5
		• RAID 6
		• RAID 10
	RAID Migration	• Basic to RAID 1
	Will Wilgittion	• Basic to RAID 5
		• RAID 1 to RAID 5
		• RAID 5 to RAID 6
	Waluma Evnancian with	
	Volume Expansion with	• Synology Hybrid
	Larger HDDs	RAID
		• RAID 1
		• RAID 5
		• RAID 6
		• RAID 10
	Volume Expansion by	<ul> <li>Synology Hybrid</li> </ul>
	Adding a HDD	RAID
		• JBOD
		• RAID 5
		• RAID 6 (with
		<b>Expansion Unit)</b>
	Global Hot Spare Supported	<ul> <li>Synology Hybrid</li> </ul>
	RAID Type	RAID
		• RAID 1
		• RAID 5
		• RAID 6 (with
		<b>Expansion Unit)</b>
		• RAID 10 (with
		<b>Expansion Unit)</b>
File System	Internal Drives	• Btrfs
		• ext4
	External Drives	• Btrfs
		• ext4
		• ext3
		• FAT
		• NTFS
		• HFS+
		• exFAT
File Services	File Protocol	• SMB
THE BOTTIOGS	11101101001	• AFP
		• NFS
		• FTP
		7 1 11

_	<b>TT</b> 7	~1 <u>~</u> `	$\Gamma$	٨	<b>T</b> 7
•	VV	H)	D)	҆	v

• Rsync

Maximum Concurrent 500

SMB/AFP/FTP Connections

Maximum Concurrent 2,000

SMB/AFP/FTP Connections

(with RAM expansion)
Windows Access Control
List (ACL) Integration

NFS Kerberos Authentication

Account & Shared Folder Maximum Local User 2,048

Accounts

Maximum Local Groups 256 Maximum Shared Folder 512 Maximum Shared Folder 16

Sync Tasks

<u>Hybrid Share</u> Hybrid Share Folder Number 10 <u>Hyper Backup</u> Folder and Package Backup

Entire System Backup

<u>High Availability</u> Synology High Availability

**Log Center** 

Syslog Events per Second 800

Virtualization VMware ESXi 6.5 and VAAI

Windows Server 2016 Windows Server 2022

Citrix Ready OpenStack

General Specifications Supported Protocols SMB1 (CIFS), SMB2,

SMB3, NFSv3, NFSv4, NFSv4.1, NFS Kerberized sessions, iSCSI, HTTP,

HTTPs, FTP, SNMP, LDAP,

CalDAV

Supported Browsers • Chrome

FirefoxEdge

• Safari

Supported Language English, Deutsch, Français,

Italiano, Español, Dansk, Norsk, Svenska, Nederlands, ??????, Polski, Magyar,

Português do Brasil,

Português Europeu, Türkçe,
?eský, ???????, ???, ???,
????, ????

Central Management System	
Synology Chat	

	Suggested Users	150
<b>Download Station</b>		
	Maximum Concurrent	80
	Download Tasks	

SAN Manager		
	Maximum iSCSI Target	128
	Number	

Maximum LUN	256
LUN Clone/Snapshot,	

	Windows ODX
Synology MailPlus /	

MailPlus Server	Free Email Accounts	5 (Additional accounts
		require purchase of licenses

Suggested Users	750
Maximum Server	1,484,000 emails per day,
Performance	approx. 45GB

<b>Media Server</b>
---------------------

ce
ce

Syno]	logy	<b>Photos</b>
	-05	

Facial Recognition
Object Recognition

# **Snapshot Replication**

Maximum Snapshots per	1,024
Shared Folder	
Maximum of System	65,536
Snapshots	

### **Surveillance Station**

Default Licenses	2 (Additional cameras
	require purchase of licenses)
Suggested Maximum IP	• 720p: 40 channels,
Cameras and Total FPS	1200 FPS

**FPS** 

**FPS** 

• 5M: 28 channels, 280

	Τ,
Cameras and Total FPS	1200 FPS
(H.264)	• 1080p: 40 channels,
	800 FPS
	• 3M: 35 channels, 350
	• 3M: 35 channels, 35

Suggested Maximum IP Cameras and Total FPS (H.265) • 4K: 17 channels, 170 FPS

• 720p: 40 channels, 1200 FPS

• 1080p: 40 channels, 1200 FPS

• 3M: 40 channels, 600 FPS

• 5M: 40 channels, 480 FPS

• 4K: 20 channels, 200 FPS

**Synology Drive** 

Recommended Number of Concurrent Sync Clients 550 (the number of connections that can be

maintained when the recommended number of

hosted files was reached)

Recommended Number of

Hosted Files

50,000,000 (applies to files

indexed or hosted by <a href="Synology Drive">Synology Drive</a>. For file access through other standard

protocols, refer to the File Services section above)

**Synology Office** 

Suggested Users 4,500

Virtual Machine Manager

Recommended Virtual 8 (Learn more)

Machine Instances

Recommended Virtual DSM 8 (including 1 Free License)

Number (Licenses required)

**VPN Server** 

Maximum Connections 40

Specification

~ P · · · · · · · · · · · · · · · · · ·	
NAS	
CPU Model	AMD Ryzen V1500B
CPU Quantity	1
CPU Core	4
CPU Architecture	64-bit
CPU Frequency	2.2 GHz

Hardware Encryption	Yes
Engine	
Memory	2 GB DDR4 ECC SODIMM
Drive Bays	4
Compatible Drive Type	3.5
Hot Swappable Drive	Yes
RJ-45 1GbE LAN Port	4
USB 3.2 Gen 1 Port	2
System Fan	40 mm x 40 mm x 3 pcs
Power Supply Unit /	150 watts 100 V to 240 V AC 50/60 Hz, Single
Adapter	Phase
<b>Total Memory Slots</b>	2
Maximum Memory	32 GB (16 GB x 2)
Capacity	
<b>Expansion Port</b>	1
PCIe Expansion	1 x Gen3 x8 slot (x4 link)
Form Factor (RU)	1U

# **Product Gallery**



